

Datasheet for ABIN1677074 NAGK Protein (AA 1-303) (His tag)



Overview	
Quantity:	1 mg
Target:	NAGK
Protein Characteristics:	AA 1-303
Origin:	Shigella flexneri
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAGK protein is labelled with His tag.
Application:	ELISA
Product Details	
Sequence.	MYYGEDIGGT KIAI GVEDSG ROLOWEKRVP TPRDSYDAEL DAVCELVAFA DOREGCKGSV

Purity:	> 90 %
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Specificity:	Shigella flexneri
	LTIVDPDLVV IGGGLSNFPA ITTQLADRLP CHLLPVARVP RIERARHGDA GGMRGAAFLH LTD
	QHGCIENYLS GRGFAWLYQH YYHQPLQAPE IIALYDQGDE QARAHVERYL DLLAVSLGNI
	QYPLVMGLIL GTGVGGGLVF NGKPITGKSY ITGEFGHMRL PVDALTMMGL DFPLRRCGCG
	GIGIPGMPET EDGKLYAANV PAASGKPLRA DLSARLDRDV RLDNDANCFA LSEAWDDEFT
Sequence:	MYYGFDIGGT KIALGVFDSG RQLQWEKRVP TPRDSYDAFL DAVCELVAEA DQRFGCKGSV

Target Details

Target:	NAGK
Alternative Name:	N-acetyl-D-glucosamine kinase (nagK) (NAGK Products)
Background:	Recommended name: N-acetyl-D-glucosamine kinase. EC= 2.7.1.59. Alternative name(s): GlcNAc kinase
UniProt:	Q83RR9

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.