

Datasheet for ABIN1677680 GCK Protein (AA 1-321) (His tag)



Overview

1 mg GCK AA 1-321
AA 1-321
Shigella flexneri
Yeast
Recombinant
This GCK protein is labelled with His tag.
ELISA
MTKYALVGDV GGTNARLALC DIASGEISQA KTYSGLDYPS LEAVIRVYLE EHKVEVKDGC
IAIACPITGD WVAMTNHTWA FSIAEMKKNL GFSHLEIIND FTAVSMAIPM LKKEHLIQFG
GAEPVEGKPI AVYGAGTGLG VAHLVHVDKR WVSLPGEGGH VDFAPNSEEE AIILEILRAE
IGHVSAERVL SGPGLVNLYR AIVKADNRLP ENLKPKDITE RALADSCTDC RRALSLFCVI
MGRFGGNLAL NLGTFGGVFI AGGIVPRFLE FFKASGFRAA FEDKGRFKEY VHDIPVYLIV
HDYPGLLGSG AHLRQTLGHI L
Shigella flexneri
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %

Target Details

Target:	GCK
Alternative Name:	Glucokinase (glk) (GCK Products)
Background:	Recommended name: Glucokinase. EC= 2.7.1.2.
	Alternative name(s): Glucose kinase
UniProt:	Q83K86
Pathways:	MAPK Signaling, Positive Regulation of Peptide Hormone Secretion, Carbohydrate Homeostasis, Cellular Glucan Metabolic Process, Regulation of Carbohydrate Metabolic Process

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.