antibodies .- online.com





Retinoic Acid Receptor alpha Protein (AA 1-458) (His tag)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	1 mg
Target:	Retinoic Acid Receptor alpha (RARA)
Protein Characteristics:	AA 1-458
Origin:	Zebrafish (Danio rerio)
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This Retinoic Acid Receptor alpha protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MYESVDVVGL TPSPNPFLSM DYYHQNRGCL IPDKGLVSGA ARGFRNPHWS GSNHSVETQS
	TSSEEIVPSP PSPPPPPRVY KPCFVCQDKS SGYHYGVSAC EGCKGFFRRS IQKNMVYTCH
	REKSCIINKV TRNRCQYCRL QKCLEVGMSK ESVRNDRNKR KKDDKKQECL ENYVLSPDTE
	KMIEQVRKAH QETFPSLCQL GKYTTNNSAD HRVALDVDLW DKFSELSTKC IIKTVEFAKQ
	LPGFTTLTIA DQITLLKAAC LDILILRICT RYTPDQDTMT FSDGLTLNRT QMHNAGFGPL
	TDLVFAFANQ LLPLEMDDAE TGLLSAICLL CGDRQDLEQS DKVDELQEPL LEALKIYVRN
	RRPHKPHMFP KMLMKITDLR SISAKGAERV ITLKMEIPGS MPPLIQEMLE NSEGLEGGGS
	KGAGGGGGG GGKGAPPGSC SPSLSPSSAH SSPSAHSP
Specificity:	Danio rerio (Zebrafish) (Brachydanio rerio)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details > 90 % Purity: **Target Details** Target: Retinoic Acid Receptor alpha (RARA) Alternative Name Retinoic acid receptor alpha-B (rarab) (RARA Products) Background: Recommended name: Retinoic acid receptor alpha-B. Short name= RAR-alpha-B. Alternative name(s): Nuclear receptor subfamily 1 group B member 1-B Retinoic acid receptor alpha-2.B. Short name= RAR-alpha-2.B UniProt: Q7ZTI3 Pathways: Nuclear Receptor Transcription Pathway, Retinoic Acid Receptor Signaling Pathway, Intracellular Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated Signaling Pathway, Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, S100 Proteins **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the

native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL

Handling

Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	rage Comment: Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	