antibodies .- online.com







CXXC4 Protein (AA 1-217) (His tag)



Overview

1 mg
CXXC4
AA 1-217
Xenopus laevis
Yeast
Recombinant
This CXXC4 protein is labelled with His tag.
ELISA
MHRNDSQRLG KPGGAPESLQ MANNNFLSTL SPEHCRPLAG ECMNKLKCGA AEAEIMNLPE
RVGTFSAIPA LGGISLPPGV IVMTALHSPA AASAAVTDSA FQIANLADCP QNNSSGAGGN
PAKKKRKRCG VCVPCKRLIN CGVCSSCRNR KTGHQICKFR KCEELKKKPG TSLEVRGDDS
FFPCLASSLI PPFSPPFQCF LSPFKMHHSF SESPSRL
Xenopus laevis (African clawed frog)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %
CXXC4

Target Details

Alternative Name:	CXXC-type zinc finger protein 4 (cxxc4) (CXXC4 Products)
Background:	Recommended name: CXXC-type zinc finger protein 4. Alternative name(s): Inhibition of the Dvl and axin complex protein. Short name= xldax
UniProt:	Q800L6

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.