

Datasheet for ABIN1679271
anti-AKT1/2 antibody

2 Images



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	AKT1/2
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This AKT1/2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	A synthesized peptide derived from human AKT1/2.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Monoclonal Antibodies
Purification:	Affinity purification

Target Details

Target:	AKT1/2
Alternative Name:	AKT1/2 (AKT1/2 Products)
Background:	AKT1/2
Molecular Weight:	56 kDa

Target Details

Gene ID: 207, 208

UniProt: [P31749](#), [P31751](#)

Application Details

Application Notes: WB,1:500 - 1:2000,IHC,1:50 - 1:200

Restrictions: For Research Use only

Handling

Buffer: PBS with 0.02 % sodium azide,0.05 % BSA,50 % glycerol, pH 7.3.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C


Storage Comment: Store at -20°C. Avoid freeze / thaw cycles.

Images



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human lung cancer using /2 Rabbit mAb (ABIN1679270, ABIN1679271, ABIN7101491 and ABIN7101492) at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Western Blotting

Image 2. Western blot analysis of extracts of various cell lines, using /2 antibody (ABIN1679270, ABIN1679271, ABIN7101491 and ABIN7101492) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.