

Datasheet for ABIN1692117

HPGDS Protein (AA 1-199)



Overview

Quantity:	50 μg
Target:	HPGDS
Protein Characteristics:	AA 1-199
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Product Details	
Purpose:	Recombinant Human Hematopoietic Prostaglandin D Synthase/HPGDS/GSTS
Sequence:	MPNYKLTYFN MRGRAEIIRY IFAYLDIQYE DHRIEQADWP EIKSTLPFGK IPILEVDGLT LHQSLAIARY LTKNTDLAGN TEMEQCHVDA IVDTLDDFMS CFPWAEKKQD VKEQMFNELL TYNAPHLMQD LDTYLGGREW LIGNSVTWAD FYWEICSTTL LVFKPDLLDN HPRLVTLRKK VQAIPAVANW IKRRPQTKL
Characteristics:	Recombinant Human Hematopoietic Prostaglandin D Synthase/HPGDS/GSTS
Purity:	> 95 % as determined by reducing SDS-PAGE.
Sterility:	0.2 μm filtered
Endotoxin Level:	Less than 0.1 ng/μg (1 IEU/μg) as determined by LAL test
Target Details	
Target:	HPGDS
Alternative Name:	Hematopoietic Prostaglandin D Synthase (HPGDS Products)

Target Details

Bacl	//	ro	ıın	٨.
Daci	ĸα	ΙU	uu	u.

Recombinant Human Hematopoietic Prostaglandin D Synthase/HPGDS is produced with our E. coli expression system. The target protein is expressed with sequence (Pro2-Leu199) of Human PGDS.

Hematopoietic Prostaglandin D Synthase (HPGDS) belongs to the GST superfamily and Sigma family. HPGDS contains one GST C-terminal domain and one GST N-terminal domain. HPGDS is highly expressed in adipose tissue, macrophages, and placenta, and it exists in the form of homodimer in living body. HPGDS is a cytosolic enzyme that isomerizes PGH(2). HPGDS is a bifunctional enzyme that catalyzes both the conversion of PGH2 to PGD2 and also shows low glutathione-peroxidase activity towards cumenehydroperoxide.

Molecular Weight:

23.6 kDa

UniProt:

060760

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid
Reconstitution:	It is not recommended to reconstitute to a concentration less than 100 μg/mL.
	Dissolve the lyophilized protein in ddH2O.
	Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Buffer:	Supplied as a 0.2 µm filtered solution of 20 mM Tris, 200 mM NaCl, pH 7.0.
Handling Advice:	Always centrifuge tubes before opening. Do not mix by vortex or pipetting.
Storage:	-80 °C
Storage Comment:	Store at < -20°C, stable for 6 months after receipt.
	Please minimize freeze-thaw cycles.
Expiry Date:	6 months