antibodies

# Datasheet for ABIN1692811 anti-TIFA antibody (AA 51-150) (Alexa Fluor 350)



Overview

Quantity:	100 μL
Target:	TIFA
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TIFA antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TIFA
lsotype:	lgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	TIFA
Alternative Name:	TIFA (TIFA Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1692811 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

#### Target Details

Background:	Synonyms: Putative MAPK activating protein PM14, Putative MAPK-activating protein PM14,
	Putative NF kappa B activating protein 20, Putative NF-kappa-B-activating protein 20, T2BP, TA,
	TA_HUMAN, TRAF interacting protein with FHA domain containing protein A, TRAF-interacting
	protein with FHA domain-containing protein A, TRAF2 binding protein, TRAF2-binding protein.
	Background: Adapter protein which mediates the IRAK1 and TRAF6 interaction following IL-1
	stimulation, resulting in the downstream activation of NF-kappa-B and AP-1 pathways. Induces
	the oligomerization and polyubiquitination of TRAF6, which leads to the activation of TAK1 and
	IKK through a proteasome-independent mechanism.

#### Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months