# antibodies -online.com





# anti-DYX1C1 antibody (AA 51-120) (Alexa Fluor 350)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	DYX1C1	
Binding Specificity:	AA 51-120	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DYX1C1 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DYX1C1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Chicken,Zebrafish
Purification:	Purified by Protein A.

## **Target Details**

Target:	DYX1C1
Alternative Name:	DYX1C1 (DYX1C1 Products)

## Target Details

Background:	Synonyms: Dyslexia susceptibility 1 candidate 1, Dyslexia susceptibility 1 candidate gene 1		
	protein, DYX1, DYX1C1, DYXC1, DYXC1_HUMAN, EKN1, FLJ37882, MGC70618, RD.		
	Background: The gene encoding DYX1C1 maps in the 15q21 region, which is disrupted by a		
	translocation t(2,15)(q11,q21) and segregates with dyslexia. Two sequence changes in		
	DYX1C1, including one involving the translation initiation sequence and an Elk-1 transcription		
	factor binding site (-3G> A) and a codon (1249G> T), introduce a premature stop codon and		
	truncate the protein by 4 amino acids. DYX1C1 encodes a nuclear tetratricopeptide repeat		
	domain protein that is dynamically regulated in brain. In human brain, DYX1C1 protein localizes		
	to a fraction of cortical neurons and white matter glial cells. It is also expressed in lung, kidney		
	and testis.		
Gene ID:	161582		
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid		
	Hormone Receptor Signaling		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		