# antibodies .- online.com







# anti-ZBTB5 antibody (AA 581-677) (Alexa Fluor 350)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	ZBTB5
Binding Specificity:	AA 581-677
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZBTB5 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ZBTB5
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	ZBTB5
Alternative Name:	ZBTB5 (ZBTB5 Products)

## Target Details

Background:	Synonyms: 5930421110, 9430083K24Rik, Al646847, Expressed in brain and neural tube,		
	KIAA0354, mKIAA0354, OTTMUSP0000007812, OTTMUSP0000007813,		
	OTTMUSP00000007814, RP11-397D12.5, RP23-218A4.2, Transcription factor ZNF POZ, Zbtb5,		
	ZBTB5_HUMAN, Zinc finger and BTB domain containing protein 5, Zinc finger and BTB domain-		
	containing protein 5.		
	Background: Zinc-finger proteins contain DNA-binding domains and have a wide variety of		
	functions, most of which encompass some form of transcriptional activation or repression. The		
	majority of zinc-finger proteins contain a Kr_ppel-type DNA binding domain and a KRAB		
	domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins.		
	Zinc finger and BTB domain-containing protein 5 (ZBTB5) is a 677 amino acid member of the		
	Kr_ppel C2H2-type zinc-finger protein family. Localized to the nucleus, ZBTB5 contains a BTB		
	domain, also known as a POZ domain, which inhibits DNA binding and mediates homotypic and		
	heterotypic dimerization. Characteristics of the BTB domain suggest that ZBTB5 functions as a		
	transcription regulator.		
Gene ID:	9925		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months