antibodies -online.com





Datasheet for ABIN1693338

anti-APOO antibody (AA 101-198) (Alexa Fluor 350)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	APOO	
Binding Specificity:	AA 101-198	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This APOO antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ApoO/Apolipoprotein O
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	APOO
Alternative Name:	Apolipoprotein O (APOO Products)

Storage Comment:

Expiry Date:

Synonyms: ApoO, 0610008C08Rik, 1110019O03Rik, Apolipoprotein O, APOO, APOO_HUMAN,	
FAM121B, Family with sequence similarity 121B, MGC130105, MGC130106, MGC4825, My025,	
MYO25, OTTHUMP00000023073, Protein FAM121B, RP23-272D10.2.	
Background: Apolipoproteins are a family of fatty-acid binding proteins that transport fat	
through the bloodstream in the form of lipoproteins. ApoO (Apolipoprotein O), also known as	
FAM121B or My025, is a 198 amino acid single-pass membrane protein that belongs to the	
apolipoprotein family. Expressed ubiquitously with particularly high expression in diabetic heart	
tissue, apoO functions to promote the transport of cholesterol from macrophage cells and may	
be involved in regulatory mechanisms that protect lipid accumulation within the heart. ApoO is	
present in high density lipoproteins (HDLs) and low density lipoproteins (LDLs) and is secreted	
by an MTP (microsomal triglyceride transfer protein)-dependent mechanism. Two isoforms of	
apoO exist due to alternative splicing events.	
79135	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	

12 months

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.