# antibodies -online.com





# anti-EPRS antibody (AA 651-750) (Alexa Fluor 350)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL	
Target:	EPRS	
Binding Specificity:	AA 651-750	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EPRS antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Glutamyl Prolyl tRNA syntase/ProRS	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

## Target Details

Target:	EPRS	
Alternative Name:	Glutamyl Prolyl tRNA synthetase/ProRS (EPRS Products)	

## **Target Details**

•		
Background:	Synonyms: EARS, PARS, QARS, QPRS, PIG32, GLUPRORS, Bifunctional glutamate/prolinetRNA	
	ligase, Bifunctional aminoacyl-tRNA synthetase, Cell proliferation-inducing gene 32 protein,	
	Glutamatyl-prolyl-tRNA synthetase, EPRS, GLNS	
	Background: Catalyzes the attachment of the cognate amino acid to the corresponding tRNA in	
	a two-step reaction: the amino acid is first activated by ATP to form a covalent intermediate	
	with AMP and is then transferred to the acceptor end of the cognate tRNA. Component of the	
	GAIT (gamma interferon-activated inhibitor of translation) complex which mediates interferon-	
	gamma-induced transcript-selective translation inhibition in inflammation processes. Upon	
	interferon-gamma activation and subsequent phosphorylation dissociates from the	
	multisynthetase complex and assembles into the GAIT complex which binds to stem loop-	
	containing GAIT elements in the 3'-UTR of diverse inflammatory mRNAs (such as ceruplasmin)	
	and suppresses their translation.	
Gene ID:	2058	
UniProt:	P07814	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months