



[Go to Product page](#)

Datasheet for ABIN1693761

anti-ESRP2 antibody (AA 21-120) (AbBy Fluor® 350)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | ESRP2 |
| Binding Specificity: | AA 21-120 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ESRP2 antibody is conjugated to AbBy Fluor® 350 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | KLH conjugated synthetic peptide derived from human ESRP2 |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | ESRP2 |
| Alternative Name: | ESRP2 (ESRP2 Products) |

Target Details

Background: Synonyms: Epithelial splicing regulatory protein 2, ESRP 2, ESRP2, ESRP2_HUMAN, FLJ21918, FLJ22248, RBM35B, RNA binding mot protein 35A, RNA binding mot protein 35B, RNA binding protein 35B, RNA-binding mot protein 35B, RNA-binding protein 35B.

Background: mRNA splicing factor that regulates the formation of epithelial cell-specific isoforms. Specifically regulates the expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Also regulates the splicing of CD44, CTNND1, ENAH, 3 transcripts that undergo changes in splicing during the epithelial-to-mesenchymal transition (EMT). Acts by directly binding specific sequences in mRNAs. Binds the GU-rich sequence motifs in the ISE/ISS-3, a cis-element regulatory region present in the mRNA of FGFR2.

Gene ID: 80004

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months
