## antibodies -online.com





## anti-Calcineurin B antibody (pTyr106) (Alexa Fluor 350)



Go to Product page

( )	ve	r\/I	(0)	Λ/

OVERVIEW	
Quantity:	100 μL
Target:	Calcineurin B (CAN)
Binding Specificity:	pTyr106
Reactivity:	Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Calcineurin B antibody is conjugated to Alexa Fluor 350
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Inanau na grani	VIII conjugated combined and appropriate derived from human Calcineurin Dergund the
Immunogen:	KLH conjugated syntheticphosphopeptide derived from human Calcineurin B around the phosphorylation site of Tyr106
Isotype:	IgG
Cross-Reactivity:	Zebrafish (Danio rerio)
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit,Guinea Pig,Drosophila
Purification:	Purified by Protein A.
Target Details	
Target:	Calcineurin B (CAN)

## Target Details

Alternative Name:	Calcineurin B (CAN Products)	
Background:	Synonyms: Calcineurin B phospho Y106, Calcineurin B phospho Tyr106, p-Calcineurin B Tyr106	
	Calcineurin subunit B type 1, CALNB1, CANB1_HUMAN, Cna2, CNB, CNB1,	
	OTTHUMP00000201960, OTTHUMP00000201961, Ppp3r1, PPP3R1 protein phosphatase 3	
	formerly 2B, regulatory subunit B, alpha isoform, alpha isoform calcineurin B, type I, calcineurin	
	B, type I 19 kDa, protein phosphatase3 formerly2B, regulatory subunit B, alpha isoform antibody	
	Protein phosphatase 2B regulatory subunit 1, Protein phosphatase 2B regulatory subunit B	
	alpha, protein phosphatase 3 formerly 2B, regulatory subunit B, 19 kDa, alpha isoform	
	calcineurin B, type I, Protein phosphatase 3 regulatory subunit B alpha, Protein phosphatase 3	
	regulatory subunit B alpha isoform 1.	
	Background: In eukaryotes, the phosphorylation and dephosphorylation of proteins on serine	
	and threonine residues is an essential means of regulating a broad range of cellular functions	
	including division, homeostasis and apoptosis. A group of proteins that are intimately involved	
	in this process are the protein phosphatases. In general, the protein phosphatase (PP)	
	holoenzyme is a trimeric complex composed of a regulatory subunit, a variable subunit and a	
	catalytic subunit. Four major families of protein phosphatase catalytic subunit have been	
	identified, designated PP1, PP2A, PP2B and PP2C. An additional protein phosphatase catalytic	
	subunit, PPX (also known as PP4), is a putative member of a novel PP family. The PP2B family	
	comprises subfamily members PP2B-A alpha, PP2B-A Beta and PP2B-A Gamma. Two	
	additional regulatory subunits been identified, designated PP2B-B1 and PP2B-B2.	
Gene ID:	5534	
Pathways:	Cellular Glucan Metabolic Process, VEGF Signaling	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	

## Handling

	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months