antibodies - online.com







anti-AGPS antibody (AA 31-130) (Alexa Fluor 350)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	AGPS	
Binding Specificity:	AA 31-130	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This AGPS antibody is conjugated to Alexa Fluor 350	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AGPS/Alkyl-DHAP synthase	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	AGPS	
Alternative Name:	AGPS/Alkyl-DHAP synthase (AGPS Products)	

Target Details

Background:	Synonyms: AAG5, ADAP-S, ADAS, ADAS_HUMAN, ADHAPS, ADPS, Aging associated gene 5
	protein, Aging-associated gene 5 protein, AGPS, ALDHPSY, Alkyl-DHAP synthase,
	Alkyldihydroxyacetonephosphate synthase, Alkyldihydroxyacetonephosphate synthase,
	peroxisomal, Alkylglycerone phosphate synthase, Alkylglycerone-phosphate synthase,
	peroxisomal.
	Background: AGPS is a 658 amino acid enzyme that is required for glycerolipid metabolism and
	ether lipid biosynthesis. Localized to the inner aspect of the peroxisomal membrane, AGPS is
	likely part of a heterotrimeric complex that is also composed of GNPAT and a modified form of
	GNPAT. Containing one FAD-binding PCMH-type domain, AGPS utilizes FAD as a cofactor in the
	synthesis of alkyl-glycerone 3-phophate and a long-chain acid anion from 1-acteyl-glyerone 3-
	phosphate and a long-chain alcohol. Defects in the gene encoding AGPS results in rhizomelic
	chondrodysplasia punctata type 3, a disease characterized by vertebral disorders, severe
	mental retardation, cutaneous lesions, cataracts and rhizomelic shortening of the humerus and
	femur.
Gene ID:	8540
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months