antibodies -online.com







anti-OVOL2 antibody (AA 75-180) (Alexa Fluor 350)



\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	OVOL2	
Binding Specificity:	AA 75-180	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This OVOL2 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human OVOL2/ZNF339	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Cow,Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	OVOL2
Alternative Name:	OVOL2/ZNF339 (OVOL2 Products)

Target Details

rarget Details		
Background:	Synonyms: bA504H3.3, EUROIMAGE566589, hOvo 2, hOvo2, Ovo like 2 Drosophila, Ovo like 2, OVOL 2, Transcription factor Ovo like 2, Zinc finger protein 339, ZNF 339, ZNF339, OVOL2_HUMAN. Background: The Ovo family of zinc-finger transcription factors encode evolutionarily conserved genes including those from Caenorhabditis elegans, Drosophila melanogaster, mouse and human. Members of the Ovo family include Ovol1 and Ovol2. Ovol1 acts as a transcriptional repressor by interacting with key developmental signaling pathways such as Wnt and TGF-/BMP. Specifically, Ovol1 represses c-Myc and Id2 genes and establishes a balance between proliferation and differentiation of progenitor cells. Deletion of Ovol1 in mice leads to germ cell	
	degeneration and defective sperm production in adult males. Ovol1 has also been shown to repress itself as well as Ovol2, which is thought to regulate neural development and vascular angiogenesis during embryogenesis.	
Gene ID:	58495	
Pathways:	Tube Formation	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

-20 °C

Storage:

Storage Comment:

	lI	1:
-	เวทก	111111
	land	11110

Expiry Date:

12 months