antibodies.com

## Datasheet for ABIN1694907 anti-LRRFIP2 antibody (AA 1-100) (Alexa Fluor 488)



Overview

| Quantity:            | 100 µL  |
|----------------------|---|
| Target:              | LRRFIP2   |
| Binding Specificity: | AA 1-100  |
| Reactivity:          | Human   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This LRRFIP2 antibody is conjugated to Alexa Fluor 488  |
| Application:         | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## Product Details

| Immunogen:            | KLH conjugated synthetic peptide derived from human LRRFIP2 |
|-----------------------|---|
| lsotype:              | IgG   |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Sheep,Chicken                       |
| Purification:         | Purified by Protein A.                                      |

## Target Details

| Target:           | LRRFIP2   |
|-------------------|---|
| Alternative Name: | LRRFIP2 (LRRFIP2 Products)  |
| Background:       | Synonyms: 5133400F20Rik, Al850587, DKFZp434H2035, FLJ20248, FLJ22683, FLJ58304, |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1694907 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

|                     | HUFI 2, Leucine rich repeat in FLII interacting protein 2, Leucine rich repeat flightless interacting |
|---------------------|---|
|                     | protein 2, Leucine-rich repeat flightless-interacting protein 2, LRR FLII interacting protein 2, LRR  |
|                     | FLII-interacting protein 2, LRRF2_HUMAN, Lrrfip2.   |
|                     | Background: LRRFIP2 is a 721 amino acid protein that belongs to the LRRFIP family.                    |
|                     | Ubiquitously expressed, LRRFIP2 acts as an activator of the Wnt signaling pathway and as a            |
|                     | positive regulator of NF_B activity. LRRFIP2 may be involved in regulating cytokine production        |
|                     | in macrophages, suggesting a functional role in the TLR4-mediated inflammatory response.              |
|                     | Three isoforms of LRRFIP2 exists due to alternative splicing events.                                  |
| Gene ID:            | 9209  |
| Application Details |   |
| Application Notes:  | IF(IHC-P) 1:50-200  |
|                     | IF(IHC-F) 1:50-200  |
|                     | IF(ICC) 1:50-200  |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Concentration:      | 1 μg/μL   |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and          |
|                     | 50 % Glycerol.  |
| Preservative:       | ProClin   |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be                   |
|                     | handled by trained staff only.  |
| Storage:            | -20 °C  |
| Storage Comment:    | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                     |
| Expiry Date:        | 12 months   |
|                     |   |