antibodies -online.com





anti-GNG7 antibody (AA 2-65) (Alexa Fluor 488)



Go to Product page

| \sim | | | |
|--------|-----|-----|-----|
| | N/P | r\/ | i⊢₩ |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | GNG7 | |
| Binding Specificity: | AA 2-65 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This GNG7 antibody is conjugated to Alexa Fluor 488 | |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human G gamma7 |
|-----------------------|--|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Cow,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | GNG7 |
|---|--------------------------|
| Alternative Name: | G gamma7 (GNG7 Products) |
| Synonyms: FLJ00058, GBG7_HUMAN, Gng7, GNGT7, Guanine nucleotide-binding protein | |

Target Details

| GI/GS/GO gamma-7 subunit, Guanine nucleotide-binding protein GI/GS/GO subunit gamma-7. | | |
|---|--|--|
| Background: Guanine nucleotide-binding proteins (G proteins) are involved as a modulator or | | |
| transducer in various transmembrane signaling systems. The beta and gamma chains are | | |
| required for the GTPase activity, for replacement of GDP by GTP, and for G protein-effector | | |
| interaction. Plays a role in the regulation of adenylyl cyclase signaling in certain regions of the | | |
| brain. Plays a role in the formation or stabilzation of a G protein heterotrimer (G(olf) subunit | | |
| alpha-beta-gamma-7) that is required for adenylyl cyclase activity in the striatum. | | |

Gene ID:

2788

Application Details

| | IF(ICC) 1:50-200 |
|---------------|-----------------------|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |