antibodies -online.com





anti-GNL2 antibody (AA 1-100) (Alexa Fluor 488)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	GNL2	
Binding Specificity:	AA 1-100	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GNL2 antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GNL2	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	GNL2
Alternative Name:	GNL2 (GNL2 Products)

Target Details

Background:	Synonyms: Autoantigen NGP-1, Autoantigen NGP1, DJ423B22.6 novel nucleolar guanosine 5'-		
	triphosphate binding protein, FLJ40906, GNL2, Guanine nucleotide binding protein-like 2		
	nucleolar, HUMAUANTIG, NGP1, NOG2_HUMAN, Nucleolar GTP binding protein 2, Nucleolar		
	GTP-binding protein 2, Nucleolar GTPase.		
	Background: GNL2 is a nucleolar guanasine-triphosphate binding protein that is ubiquitously		
	expressed at low levels in almost all tissues. GNL2 is involved in the crucial process of		
	trafficking proteins out of the nucleus. Specifically, it is a GTPase that interacts with the 60s		
	preribosomal subunit in the nucleus and facilitates export of the subunit into the cytoplasm.		
	GTPases are responsible for the hydrolysis of GTP by way of a protein region dubbed the G		
	domain. GTPases are often involved in the translocating proteins through membranes gleaning		
	energy for the activity by hydrolizing GTP. GNL2 shares G domain homology and some		
	functionality with nucleostemin (GNL3), another nuclear GTPase. Highest expression of GNL2		
	is found in testis.		
Gene ID:	29889		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		