# antibodies -online.com





# anti-HBQ1 antibody (AA 1-100) (Alexa Fluor 555)



Go to Product page

| $\sim$ |           |      |    |   |
|--------|-----------|------|----|---|
|        | $ V \cap$ | r\/I | 19 | ٨ |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | HBQ1   |
| Binding Specificity: | AA 1-100   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This HBQ1 antibody is conjugated to Alexa Fluor 555  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

#### **Product Details**

| Immunogen:        | KLH conjugated synthetic peptide derived from human HBQ1 |
|-------------------|--|
| Isotype:          | IgG  |
| Cross-Reactivity: | Human  |
| Purification:     | Purified by Protein A.                                   |

## **Target Details**

| Target:           | HBQ1  |
|-------------------|---|
| Alternative Name: | Hbq1 (HBQ1 Products)  |
| Background:       | Synonyms: HBAT_HUMAN, HBQ1, Hemoglobin subunit theta 1, Hemoglobin subunit theta-1, |

| Hemoglobin theta 1, Hemoglobin theta 1 chain, Hemoglobin theta-1 chain, Theta 1 globin, |
|---|
| Theta-1-globin,   |

Background: Theta-globin mRNA is found in human fetal erythroid tissue but not in adult erythroid or other nonerythroid tissue. The theta-1 gene may be expressed very early in embryonic life, perhaps sometime before 5 weeks. Theta-1 is a member of the human alphaglobin gene cluster that involves five functional genes and two pseudogenes. The order of genes is: 5' - zeta - pseudozeta - mu - pseudoalpha-2 -pseudoalpha-1 - alpha-2 - alpha-1 - theta-1 - 3'. Research supports a transcriptionally active role for the gene and a functional role for the peptide in specific cells, possibly those of early erythroid tissue.

| Gene ID: | 3049 |
|----------|------|
|----------|------|

UniProt: P09105

## **Application Details**

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
|                    | IF(IHC-F) 1:50-200 |
|                    | IF(ICC) 1:50-200   |

Restrictions: For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |