## antibodies -online.com





## anti-CTBS antibody (AA 1-100) (Alexa Fluor 555)



		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Overview	
Quantity:	100 μL
Target:	CTBS
Binding Specificity:	AA 1-100
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTBS antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CTBS
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat
Purification:	Purified by Protein A.
Target Details	
Target:	CTBS
Alternative Name:	CTBS (CTBS Products)

## **Target Details**

Background:	Synonyms: Chitobiase di N acetyl, CTB, Di N acetylchitobiase, OTTHUMP00000011570,	
	DIAC_HUMAN.	
	Background: CTBS is an evolutionarily conserved member of the glycosyl hydrolase 18 family	
	of proteins. Localizing to the lysosome, CTBS plays a role in the degradation of asparagine-	
	linked (Asn-linked) glycoproteins. Glycoproteins are translocated to lysosomes via endocytosis	
	or autophagy where they are broken down by proteases and glycosidases. The catabolism of	
	glycoproteins is an important step in the regular turnover of cellular contents and in maintaining	
	the homeostasis of glycosylation. CTBS functions as a glycosidase that cleaves the reducing	
	end GlcNAc from the core chitobiase unit of oligosaccharides. Before this reaction can occur,	
	AGA (the lysosomal glycosylasparaginase) must first remove the Asn from the Asn-linked	
	glycoprotein to expose the reducing end GlcNAc, thereby allowing CTBS to access the exposed	
	moiety.	
Gene ID:	1486	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	