antibodies .- online.com





anti-Golgin A7 antibody (AA 51-137) (Alexa Fluor 555)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	Golgin A7 (GOLGA7)
Binding Specificity:	AA 51-137
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Golgin A7 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GOLGA7	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Sheep	
Purification:	Purified by Protein A.	

Target Details

Target:	Golgin A7 (GOLGA7)
Alternative Name:	GOLGA7 (GOLGA7 Products)

Target Details

Storage Comment:

9			
Background:	Synonyms: GCP 16, GCP16, GOLGA 7, GOLGA3AP1, GOLGA7A, Golgi autoantigen golgin		
	subfamily a 7, Golgi complex associated protein of 16 kDa, Golgin A7, Golgin subfamily A		
	member 7, HSPC041, MGC21096, MGC4876, GOGA7_HUMAN.		
	Background: GOLGA7 is a multi-pass membrane protein belonging to the Erf4 family of		
	proteins. It is the functional ortholog of the yeast Erf4 protein. Localizing to the Golgi apparatus,		
	GOLGA7 is a widely expressed protein but its expression is absent from colon and thymus		
	tissues. GOLGA7 is palmitoylated on two cysteine residues, and this palmitoylation is required		
	for its interaction with golgin 160 and its Golgi-localization. GOLGA7 also forms a complex with		
	ZDHHC9 and, together, these proteins function as a Ras palmitoyltransferase (Ras PAT) which		
	is required for palmitoylation of H-Ras and N-Ras proteins. The palmitoylation of Ras proteins is		
	essential for the trafficking of Ras proteins from the Golgi to the plasma membrane, thus		
	implicating GOLGA7 in protein transport from the Golgi to the cell surface.		
Gene ID:	51125		
Pathways:	SARS-CoV-2 Protein Interactome		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months