

Datasheet for ABIN1696707 anti-GRB7 antibody (AA 231-330) (AbBy Fluor® 555)



Overview

Quantity:	100 µL
Target:	GRB7
Binding Specificity:	AA 231-330
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GRB7 antibody is conjugated to AbBy Fluor® 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded
	Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GRB7
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GRB7
Alternative Name:	GRB7 (GRB7 Products)
Background:	Synonyms: B47, Epidermal growth factor receptor GRB 7, Epidermal growth factor receptor

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1696707 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

	GRB-7, GRB7 adapter protein, GRB7, GRB7_HUMAN, Growth factor receptor bound protein 7,
	Growth factor receptor-bound protein 7, OTTHUMP00000164349, OTTHUMP00000164350,
	OTTHUMP00000164351, OTTHUMP00000164352.
	Background: Many growth factors function by binding receptors with intrinsic tyrosine kinase
	activity (1,2). Signaling by such receptors involves a series of intermediates characterized by
	SH2 domains that bind tyrosine phosphorylated receptors by a direct interaction between the
	SH2 domain and the phosphotyrosine-containing receptor sequences (3,4). GRB7, a SH2
	domain protein, has a single SH2 domain at its C-terminal, a central region with similarity to Ras
	GAP and a proline-rich N-terminus (5,6). GRB7 maps to the region on mouse chromosome 11
	containing the Neu gene (6). This region of mouse chromosome 11 is syntenic to an area of
	human chromosome 17q that is frequently amplified in breast cancer (6,7). Moreover, GRB7 is
	amplified and over-expressed in breast cancer and is found in a complex with Neu gp185 (6).
Pathways:	EGFR Signaling Pathway, Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1696707 | 07/26/2024 | Copyright antibodies-online. All rights reserved.