antibodies.com

Datasheet for ABIN1696899 anti-FBXO45 antibody (AA 110-210) (Alexa Fluor 555)



Overview

Quantity:	100 µL	
Target:	FBXO45	
Binding Specificity:	AA 110-210	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FBXO45 antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FBXO45	
Isotype:	lgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Sheep,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	
Target Details		

Target:	FBXO45
Alternative Name:	FBX045 (FBX045 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1696899 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details		
Background:	Synonyms: F box protein 45, F-box only protein 45, F-box/SPRY domain-containing protein 1,	
	FBSP1_HUMAN, FBX45, fbxo45, hFbxo45.	
	Background: Belonging to the F-box family of proteins, FBXO45 is a 286 amino acid protein tha	
	contains one C-terminal F-box domain. F-box proteins are critical components of the SCF	
	(Skp1-CUL-1-F-box protein)-type E3 ubiquitin ligase complex and are involved in substrate	
	recognition and protein recruitment for ubiquitination. They are members of a larger family of	
	proteins that are involved in the regulation of a wide variety of cellular mechanisms, including	
	the cell cycle, the immune response, signaling cascades and developmental processes. They	
	function by targeting proteins, such as cyclins, cyclin-dependent kinase inhibitors, IB- and -	
	catenin, for degradation by the proteasome after ubiquitination. Via its F-box domain, FBXO45	
	can directly interact with Skp1 p19 and CUL-1. FBXO45 has been shown to be an estrogen-	
	induced gene.	
Gene ID:	200933	
UniProt:	P0C2W1	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 µg/µL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1696899 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

1.1	(1:
Н	land	ling
		3

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1696899 | 03/07/2024 | Copyright antibodies-online. All rights reserved.