

Datasheet for ABIN1697461

anti-ACAA1 antibody (AA 231-330) (AbBy Fluor® 555)



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	ACAA1	
Binding Specificity:	AA 231-330	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ACAA1 antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human ABLIM3	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	
Target Details		
Target:	ACAA1	
Alternative Name:	ACAA1 (ACAA1 Products)	
Background:	Synonyms: 3 ketoacyl CoA thiolase peroxisomal, 3-ketoacyl-CoA thiolase, ACAA, ACAA1, Acetyl	

CoA acyltransferase 1, Acetyl Coenzyme A acyltransferase 1, Acetyl-CoA acyltransferase, Acetyl-Coenzyme A acyltransferase 1 peroxisomal 3 oxoacyl Coenzyme A, Beta ketothiolase, Beta-ketothiolase, Peroxisomal 3 oxoacyl CoA thiolase, Peroxisomal 3 oxoacyl Coenzyme A thiolase, Peroxisomal 3-oxoacyl-CoA thiolase, peroxisomal, PTHIO, THIK_HUMAN, THIO. Background: ACAA1 is a 424 amino acid member of the thiolase family of enzymes and is involved in lipid metabolism. Localized to the peroxisome, ACAA1 catalyzes the conversion of acyl-CoA and acetyl-CoA to 3-oxoacyl-CoA in the fatty acid oxidation pathway. ACAA1 shows high enzymatic activity in liver, kidney, intestine and white adipose tissue in rats, where it exists as two types, namely type A and type B. Human ACAA1 shares 86 % amino acid identity with its rat counterpart, suggesting a conserved function for ACAA1 among different species.

Gene ID:

30

Pathways:

Monocarboxylic Acid Catabolic Process

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	