# antibodies -online.com





Datasheet for ABIN1697811

## anti-ABCF2 antibody (AA 301-400) (AbBy Fluor® 555)



#### Overview

Quantity:	100 μL
Target:	ABCF2
Binding Specificity:	AA 301-400
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABCF2 antibody is conjugated to AbBy Fluor® 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ABCF2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Pig
Purification:	Purified by Protein A.

#### **Target Details**

Target:	ABCF2
Alternative Name:	ABCF2 (ABCF2 Products)

### **Target Details**

Background:	Synonyms: 0710005005Rik, ABC28, ABCF 2, ATP binding cassette sub family F GCN20
	member 2, DKFZp586K1823, Drr3, E430001006, EST133090, fb04f06, fc74f03, fd58d07,
	HUSSY 18, MABC1, MGC128735, ABCF2_HUMAN.
	Background: ATP-binding cassette (ABC) transporters are an evolutionarily conserved family of
	widely-expressed proteins that use ATP hydrolysis to catalyze the transport of various
	molecules across extracellular and intracellular membranes. As the largest family of
	transmembrane proteins, ABC genes comprise several subfamilies. Eukaryotic ABC
	transporters are largely responsible for trafficking hydrophobic compounds either within the
	cell, as part of a metabolic process, or outside the cell, for transport to other organs or for
	secretion from the body. ABCF2 in particular plays a putative role in tumor suppression at
	metastatic sites and in the endocrine pathway for breast cancer and may be a prognostic
	marker for clear cell ovarian adenocarcinoma.
Gene ID:	10061
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months