

[Go to Product page](#)

Datasheet for ABIN1697832

anti-ZBTB38 antibody (AA 1-100) (Alexa Fluor 555)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | ZBTB38 |
| Binding Specificity: | AA 1-100 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZBTB38 antibody is conjugated to Alexa Fluor 555 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | KLH conjugated synthetic peptide derived from human ZBTB38 |
| Isotype: | IgG |
| Predicted Reactivity: | Human, Mouse, Rat, Pig |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|---|
| Target: | ZBTB38 |
| Alternative Name: | ZBTB38 (ZBTB38 Products) |
| Background: | Synonyms: CIBZ, FLJ22332, FLJ31131, FLJ35036, ZBT38_HUMAN, ZBTB38, Ziinc finger and |

Target Details

BTB domain containing protein 38, Zinc finger and BTB domain-containing protein 38.

Background: The protein encoded by this gene is a zinc finger transcriptional activator that binds methylated DNA. The encoded protein can form homodimers or heterodimers through the zinc finger domains. In mouse, inhibition of this protein has been associated with apoptosis in some cell types.

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months