

Datasheet for ABIN1698255

anti-RGS14 antibody (AA 151-250) (AbBy Fluor® 647)



_			
	Ve.	rv	iew

100 μL	
RGS14	
AA 151-250	
Mouse, Rat	
Rabbit	
Polyclonal	
This RGS14 antibody is conjugated to AbBy Fluor® 647	
Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RGS14	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Cow	
Purification:	Purified by Protein A.	

Target Details

Target:	RGS14
Alternative Name:	Rgs14 (RGS14 Products)

Target Details

Background:	Synonyms: Highly similar to rap1/rap2 interacting protein, OTTHUMP00000223586,	
	OTTHUMP00000223587, Regulation of G protein signaling 14, Regulator of G protein signaling	
	14, Regulator of G protein signalling 14, Regulator of G-protein signaling 14, RGS 14, RGS14,	
	RGS14_HUMAN.	
	Background: RGS14 is a member of the regulator of G-protein signaling family. This protein	
	contains one RGS domain, two Raf-like Ras-binding domains (RBDs), and one GoLoco domain.	
	The protein attenuates the signaling activity of G-proteins by binding, through its GoLoco	
	domain, to specific types of activated, GTP-bound G alpha subunits. Acting as a GTPase	
	activating protein (GAP), the protein increases the rate of conversion of the GTP to GDP. This	
	hydrolysis allows the G alpha subunits to bind G beta/gamma subunit heterodimers, forming	
	inactive G-protein heterotrimers, thereby terminating the signal. Alternate transcriptional splice	
	variants of this gene have been observed but have not been thoroughly characterized.	
Gene ID:	10636	
Pathways:	Myometrial Relaxation and Contraction, Regulation of G-Protein Coupled Receptor Protein	
	Signaling, Platelet-derived growth Factor Receptor Signaling	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

ш	Jand	lina
г	land	1111()
•	10110	9

Expiry Date:

12 months