

Datasheet for ABIN1698754

anti-RUNX3 antibody (AA 31-130) (AbBy Fluor® 647)



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	RUNX3	
Binding Specificity:	AA 31-130	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RUNX3 antibody is conjugated to AbBy Fluor® 647	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Runx3	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Chicken	
Purification:	Purified by Protein A.	
Target Details		
Target:	RUNX3	
Alternative Name:	Runx3 (RUNX3 Products)	

Target Details

Storage Comment:

rarger betane		
Background:	Synonyms: RUNX 3, RUNX-3, Runt-related transcription factor 3, Core-binding factor, alpha 3	
	subunit, CBF-alpha 3, Acute myeloid leukemia 2 protein, OncogeneAML-2, Polyomavirus	
	enhancer-binding protein 2 alpha C subunit, PEBP2-alpha C, PEA2-alpha C, SL3-3 enhancer	
	factor 1 alpha C subunit, SL3/AKV core-binding factor alpha C subunit, Core-binding factor,	
	alpha 3 subunit, CBF-alpha 3, Acute myeloid leukemia 2 protein, Oncogene AML-2,	
	Polyomavirus enhancer-binding protein 2 alpha C subunit, PEBP2-alpha C, PEA2-alpha C, SL3-3	
	enhancer factor 1 alpha C subunit, SL3/AKV core-binding factor alpha C subunit.	
	Background: RUNX3 binds to the core site of murine Leukemia virus, the core sequences in the	
	enhancer of the polyomavirus, and also to the enhancers of the T-cell receptor genes. May be	
	involved in the control of cellular proliferation and/or differentiation (By similarity). Heterodimer	
	of an alpha and a beta subunit. The alpha subunit binds DNA as a monomer and through the	
	Runt domain.DNA-binding is increased by heterodimerization. Interacts with TLE1 and	
	SUV39H1, Subcellular location in Nucleus.	
Gene ID:	864	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
0+	Ohanna ah OOOO Alimaah inta madkinla siisla ta saasid maa ah al faasaa tha saasid	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1.1	
Hand	lına
Hallu	my

Expiry Date:

12 months