

Datasheet for ABIN1699109

anti-SSUH2 antibody (AA 51-150) (AbBy Fluor® 647)



Overview

Alternative Name:

3 7 3 7 7 3 7 7	
Quantity:	100 μL
Target:	SSUH2
Binding Specificity:	AA 51-150
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SSUH2 antibody is conjugated to AbBy Fluor® 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human C3orf32
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Sheep
Purification:	Purified by Protein A.
Target Details	
Target:	SSUH2

C3orf32 (SSUH2 Products)

Target Details

Background:	Synonyms: chromosome 3 open reading frame 32, fls485, SSU-2, SSUH2, SSUH2 ssu-2	
	homolog C. elegans, uncharacterized protein C3orf32 homolog, SSUH2_HUMAN.	
	Background: C3orf32 (chromosome 3 open reading frame 32), also known as fls485, is a 353	
	amino acid protein encoded by a gene that maps to human chromosome 3p26.1. Chromosome	
	3 is made up of approximately 214 million bases encoding over 1,100 genes. Notably, there is a	
	chemokine receptor gene cluster and a variety of human cancer related loci on chromosome 3.	
	Particular regions of the chromosome 3 short arm are deleted in many types of cancer cells. Key tumor suppressing genes on chromosome 3 encode apoptosis mediator RASSF1, cell migration regulator HYAL1 and angiogenesis suppressor SEMA3B. Marfan Syndrome,	
		porphyria, von Hippel-Lindau syndrome, osteogenesis imperfecta and Charcot-Marie-Tooth
		disease are a few of the numerous genetic diseases associated with chromosome 3.
	Gene ID:	51066
	Application Details	
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	