

## Datasheet for ABIN1699161

## anti-PIK3 gamma antibody (AA 521-620) (AbBy Fluor® 647)



Go to Product page

Overview
----------

Overview	
Quantity:	100 μL
Target:	PIK3 gamma (PIK3CG)
Binding Specificity:	AA 521-620
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIK3 gamma antibody is conjugated to AbBy Fluor® 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence
	(Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human PIK3 gamma
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	PIK3 gamma (PIK3CG)
ranget.	

## **Target Details**

Background:	Synonyms: PK3CG_HUMAN, PI 3 Kinase catalytic subunit gamma, Phosphatidylinositol 4,5-
	bisphosphate 3-kinase catalytic subunit gamma isoform, PI3-kinase subunit gamma, PI3K-
	gamma, PI3Kgamma,
	Background: This gene encodes a protein that belongs to the pi3/pi4-kinase family of proteins.
	The gene product is an enzyme that phosphorylates phosphoinositides on the 3-hydroxyl group
	of the inositol ring. It is an important modulator of extracellular signals, including those elicited
	by E-cadherin-mediated cell-cell adhesion, which plays an important role in maintenance of the
	structural and functional integrity of epithelia. In addition to its role in promoting assembly of
	adherens junctions, the protein is thought to play a pivotal role in the regulation of cytotoxicity
	in NK cells. The gene is located in a commonly deleted segment of chromosome 7 previously
	identified in myeloid leukemias. [provided by RefSeq, Jul 2008].
Gene ID:	5294
UniProt:	P48736
Pathways:	PI3K-Akt Signaling, RTK Signaling, AMPK Signaling, TLR Signaling, Inositol Metabolic Process,
	Hepatitis C, VEGF Signaling
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months