

[Go to Product page](#)

Datasheet for ABIN1699716

anti-GOLGA4 antibody (AA 2061-2160) (Alexa Fluor 647)

Overview

Quantity:	100 µL
Target:	GOLGA4
Binding Specificity:	AA 2061-2160
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GOLGA4 antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Golgin subfamily A member 4/Golgin 245
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GOLGA4
---------	--------

Target Details

Alternative Name:	Golgin subfamily A member 4/Golgin 245 (GOLGA4 Products)
Background:	<p>Synonyms: 256 kDa golgin, 72.1 protein, GCP2, GOGA4_HUMAN, GOLG, GOLGA4, golgi autoantigen, golgin subfamily a, 4, Golgin subfamily A member 4, golgin-240, Golgin-245, MU-RMS-40.18, OTTHUMP00000161363, OTTHUMP00000208897, OTTHUMP00000209805, p230, Protein 72.1, Trans-Golgi p230.</p> <p>Background: Golgin 245 is also known as p230, GCP2, GOLG or golgi autoantigen and is a 2,230 amino acid protein that is expressed as three isoforms. Golgin 245 is localized to the cytoplasm in cells and is a member of the golgin family, all of which are peripheral membrane proteins associated with the Golgi complex. Golgin 245 has a carboxyl-terminal GRIP domain, which attaches to the trans-Golgi network (TGN) and TGN-derived vesicles. It is thought that the interaction that takes place between golgin 245 and MACF1, which cross-links microtubules to the Actin cytoskeleton, allows proteins to be transported from the TGN to the cell periphery. against golgin 245 are associated with two chronic disorders known as Sjren's syndrome and Hepatitis B.</p>

Gene ID: 2803

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months