# antibodies - online.com







## anti-C10RF167 antibody (AA 1251-1350) (Biotin)



$\sim$	
( )\/\	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	C10RF167
Binding Specificity:	AA 1251-1350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C10RF167 antibody is conjugated to Biotin
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), ELISA

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human C1orf167
Isotype:	IgG
Cross-Reactivity (Details):	162
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

## **Target Details**

Target:	C10RF167
Alternative Name:	C1orf167 (C1ORF167 Products)

#### **Target Details**

Background:

Synonyms: Uncharacterized protein C1orf167, C1orf167, CA167\_HUMAN.

Background: Chromosome 1 is the largest human chromosome spanning about 260 million base pairs and making up 8 % of the human genome. There are about 3,000 genes on chromosome 1, and considering the great number of genes there are also a large number of diseases associated with chromosome 1. Notably, the rare aging disease Hutchinson-Gilford progeria is associated with the LMNA gene which encodes lamin A. When defective, the LMNA gene product can build up in the nucleus and cause characteristic nuclear blebs. The mechanism of rapidly enhanced aging is unclear and is a topic of continuing exploration. The MUTYH gene is located on chromosome 1 and is partially responsible for familial adenomatous polyposis. Stickler syndrome, Parkinsons, Gaucher disease and Usher syndrome are also associated with chromosome 1. A breakpoint has been identified in 1q which disrupts the DISC1 gene and is linked to schizophrenia. Aberrations in chromosome 1 are found in a variety of cancers including head and neck cancer, malignant melanoma and multiple myeloma. The C1orf167 gene product has been provisionally designated C1orf167 pending further characterization. There are two isoforms of C1orf167 that are produced as a result of alternative splicing events.

Gene ID: 284498

### **Application Details**

Application Notes:

WB 1:300-5000

Q5SNV9

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

UniProt:

For Research Use only

#### Handling

 Format:
 Liquid

 Concentration:
 1 μg/μL

 Buffer:
 Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

 Preservative:
 ProClin

 Precaution of Use:
 This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

## Handling

	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months