antibodies.com

## Datasheet for ABIN1700257 anti-DAPL1 antibody (AA 1-100) (Biotin)



## Overview

Quantity:	100 µL
Target:	DAPL1
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAPL1 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DAPL1
Isotype:	lgG
Predicted Reactivity:	Human,Mouse,Rat,Horse
Purification:	Purified by Protein A.

## Target Details

Target:	DAPL1
Alternative Name:	DAPL1 (DAPL1 Products)
Background:	Synonyms: dapL1, DAPL1_HUMAN, death associated protein-like 1, Death-associated protein-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1700257 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	like 1, Early epithelial dferentiation-associated protein, EEDA, RP23-151F21.4.
	Background: In contrast to growth factors which promote cell proliferation, FAS ligand (FAS-L)
	and the tumor necrosis factors (TNFs) rapidly induce apoptosis. Cellular response to FAS-L and
	TNF is mediated by structurally related receptors containing a conserved cytoplasmic region
	called the death domain?. DAPL1 (Death-associated protein-like 1), also known as EEDA (Early
	epithelial differentiation-associated protein), is a 107 amino acid protein that is expressed in
	hair follicles and is thought to function in a similar manner to DAP-1, possibly participating in
	the early stages of epithelial differentiation and/or apoptosis.
Gene ID:	92196
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months