# antibodies -online.com





# anti-DYNC1I1 antibody (AA 1-100) (Biotin)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	DYNC1I1
Binding Specificity:	AA 1-100
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DYNC1I1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DYNC1I1
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	DYNC1I1
Alternative Name:	DYNC1I1 (DYNC1I1 Products)

## **Target Details**

Synonyms: dynein, cytoplasmic, intermediate polypeptide 1, cytoplasmic dynein 1 intermediate
chain 1, DH IC-1, dynein intermediate chain 1, cytosolic, cytoplasmic dynein intermediate chain
1, DC1I1_HUMAN, DYNC1I1, DNCI1, DNCIC1, Dynein cytoplasmic intermediate polypeptide 1.
Background: This gene is a member of the Tyr protein kinase family and the epidermal growth
factor receptor subfamily. It encodes a single-pass type I membrane protein with multiple
cysteine rich domains, a transmembrane domain, a tyrosine kinase domain, a
phosphotidylinositol-3 kinase binding site and a PDZ domain binding motif. The protein binds to
and is activated by neuregulins and other factors and induces a variety of cellular responses
including mitogenesis and differentiation. Multiple proteolytic events allow for the release of a
cytoplasmic fragment and an extracellular fragment. Mutations in this gene have been
associated with cancer. Alternatively spliced variants which encode different protein isoforms
have been described, however, not all variants have been fully characterized. [provided by
RefSeq, Jul 2008].
1780
014576
WB 1:300-5000
IHC-P 1:200-400
IHC-F 1:100-500
For Research Use only
Liquid
1 μg/μL
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
50 % Glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
handled by trained staff only.
-20 °C
Store at -20°C for 12 months.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months