
antibodies .- online.com







anti-RAPGEF6 antibody (AA 601-700) (Biotin)



()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	RAPGEF6
Binding Specificity:	AA 601-700
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RAPGEF6 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RAGEF2
Isotype:	IgG
Predicted Reactivity:	Human,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	RAPGEF6	
Alternative Name:	RAGEF2 (RAPGEF6 Products)	
Background:	Synonyms: DKFZp667N084, DKFZp686I15116, KIA001LB, PDZ domain containing guanine	

nucleotide exchange factor GEF 2, PDZ domain containing guanine nucleotide exchange factor 2, PDZ domain containing guanine nucleotide exchange factor I, PDZ domain-containing guanine nucleotide exchange factor 2, PDZ GEF 2, PDZ GEF 2, PDZ-GEF 2, PDZGEF 2, PDZGEF 2, RA GEF 2, RA-GEF-2, RAGEF 2, Rap guanine nucleotide exchange factor GEF 6, Rap guanine nucleotide exchange factor 2, Rap guanine nucleotide exchange factor 6, RAPGEF 6, RPGF6_HUMAN.

Background: RAPGEF6 is a guanine nucleotide exchange factor (GEF) that is expressed in a variety of tissues. Localizing to the cytoplasm and translocated to the plasma membrane upon ligand binding, RAPGEF6 contains an N-terminal Ras-GEF domain, a cyclic nucleotide monophosphate-binding domain, a PDZ (PSD-95/DlgA/ZO-1) domain, a Ras-associating (RA) domain and a Ras exchanger motif. RAPGEF6 is closely related to RAPGEF2 and both proteins exhibit GEF activity specific towards Rap 1 and Rap 2. In addition, RAPGEF6 is capable of binding to M-Ras via its RA domain. Due to alternative splicing events, two additional isoforms exist for RAPGEF6, namely PDZ-GEF2A and PDZ-GEF2B.

Application Details

Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months