antibodies -online.com





anti-NGEF antibody (pTyr179) (Biotin)



Go to Product page

Overview	
Quantity:	100 μL
Target:	NGEF
Binding Specificity:	pTyr179
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NGEF antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human Ephexin-1 around the phosphorylation site of Tyr179
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	NGEF

Target Details

Alternative Name:	Ephexin-1 (NGEF Products)
Background:	Synonyms: Ephexin-1 phospho Y179, p-Ephexin-1 phospho Y179, ARHGEF27, Eph-interacting exchange protein, EPHEXIN, Ephexin 1, Neuronal guanine nucleotide exchange factor, Ngef, NGEF_HUMAN.
	Background: EPHEXIN is a 710 amino acid protein that localizes to both the membrane and the
	cytoplasm and contains one SH3 domain, one PH domain and one DH domain. Expressed at
	high levels in brain and present at lower levels in lung tissue, EPHEXIN interacts with EphA4 and
	functions as a guanine nucleotide exchange factor (GEF) that is capable of activating Rho A,
	Rac 1 and Cdc42 and is thought to play a role in axon guidance and growth cone collapse.
	EPHEXIN is subject to Src-dependent phosphorylation, an event that increases the GEF activity
	of EPHEXIN toward Rho A. Human EPHEXIN, which exists as multiple alternatively spliced
	isoforms, shares a high degree of sequence homology with its mouse counterpart, suggesting
	a conserved role between species.
Gene ID:	25791
Pathways:	Neurotrophin Signaling Pathway
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months