# antibodies - online.com







# anti-CSRP2 antibody (AA 101-193) (Biotin)



$\sim$					
( )	\/	Δ	r١	/1	۱۸

Quantity:	100 μL	
Target:	CSRP2	
Binding Specificity:	AA 101-193	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CSRP2 antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CSRP2
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

# **Target Details**

Target:	CSRP2
Alternative Name:	CSRP2 (CSRP2 Products)
Background: Synonyms: CRP 2, CRP2, CSRP2_HUMAN, Cysteine and glycine rich protein 2, C	

and glycine-rich protein 2, Cysteine rich protein 2, Cysteine-rich protein 2, LIM domain only 5 smooth muscle, LIM domain only protein 5, LMO 5, LMO-5, LMO5, SmLIM, Smooth muscle cell LIM protein.

Background: CRP2 is a 193 amino acid nuclear protein that belongs to the CRP family of LIM domain proteins. Highly expressed in smooth muscle of aorta, CRP2 is thought to have a role in embryonic vascular system development and is downregulated following cell injury or PDGF-B exposure. CRP2 contains two LIM zinc-binding domains and is encoded by a gene that maps to human chromosome 12, which encodes over 1,100 genes and comprises approximately 4.5 % of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions, including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and trisomy 12p, which causes facial developmental defects and seizure disorders.

Gene ID:

1466

IHC-F 1:100-500

## **Application Details**

Application Notes: IHC-P 1:200-400

Restrictions: For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	