antibodies -online.com





anti-GMEB1 antibody (AA 301-400) (Biotin)



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL
Target:	GMEB1
Binding Specificity:	AA 301-400
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GMEB1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GMEB1	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	GMEB1
Alternative Name:	GMEB1 (GMEB1 Products)
Background: Synonyms: DNA binding protein p96P, DNA-binding protein p96P, Glucocorticoid modula	

element binding protein 1, Glucocorticoid modulatory element-binding protein 1, GMEB 1, GMEB-1, Gmeb1, GMEB1_HUMAN, P96P, Parvovirus initiation factor p96, P 96, P 96, P 96. Background: GMEB-1 is a 573 amino acid protein that contains one SAND domain and is a member of the KDWK family of combinatorial transcription modulators. Localized to both the cytoplasm and the nucleus, GMEB-1 forms a heterodimer with GMEB-2 (Glucocorticoid modulatory element-binding protein 2) and, once associated with GMEB-2, plays a key role in parvovirus DNA replication. In addition, GMEB-1 functions alone as a trans-acting factor that, by binding to glucocorticoid modulatory elements (GMEs) in TAT (tyrosine aminotransferase) promoters, increases intracellular sensitivity to glucocorticoid concentrations. GMEB-1 also interacts with initiator procaspases and, via this interaction, can inhibit caspase-induced apoptosis. Due to alternative splicing events, GMEB-1 is expressed as two isoforms.

Gene ID:

10691

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months