

[Go to Product page](#)

Datasheet for ABIN1701113  
**anti-FOXN2 antibody (AA 51-150) (Biotin)**

## Overview

Quantity:	100 µL
Target:	FOXN2
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXN2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FOXN2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Pig,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	FOXN2
Alternative Name:	FOXN2 ( <a href="#">FOXN2 Products</a> )

## Target Details

Background:	<p>Synonyms: 3230402J05Rik, 6030465J18Rik, Fkh19, Forkhead box N2, Forkhead box protein N2, Foxn1, foxn2, FOXN2_HUMAN, HTLF, Human T-cell leukemia virus enhancer factor.</p> <p>Background: The forkhead domain-containing gene family (Fox) comprises over 20 members in mammals and is defined by a conserved 110 amino-acid motif containing a winged helix structure DNA-binding domain. The members of this gene family have been implicated as key regulators of embryogenesis, cell cycling, cell lineage restriction and cancer. As such, FOXN2 contains a domain with homology to the forkhead DNA binding domain. FOXN2, or Human T-cell leukemia virus enhancer factor, is a 341 amino acid protein mapping to human gene FOXN2, which has been localized to human chromosome 2p16-p22. This protein, encoded by a 1239-bp cDNA isolated from the Jurkat cDNA library, is capable of binding to a region of the human T-cell leukemia virus long terminal repeat (HTLV-I LTR) located between amino acids 155 and 117. This purine-rich region is important in the regulation of gene expression by the Ets family of transcription factors. FOXN2 is a unique cellular gene that may function in the transcriptional regulation of HTLV-I LTR.</p>
-------------	---

Gene ID:	3344
----------	------

## Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.

## Handling

---

Expiry Date: 12 months