

## Datasheet for ABIN1701303

## anti-GK2 antibody (AA 101-200) (Biotin)



Go to Product page

Overview	
Quantity:	100 μL
Target:	GK2
Binding Specificity:	AA 101-200
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GK2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human GK2/Glycerol kinase 2
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	GK2

## **Target Details**

Background:	Synonyms: ATP:glycerol 3 phosphotransferase, EC 2.7.1.30, GK 2, GK, GKP2, GKTA,		
	Glycerokinase, Glycerol kinase 2, Glycerol kinase testis specic 2, GLPK2_HUMAN.		
	Background: GK2 is a 553 amino acid protein that belongs to the FGGY kinase family and is		
	involved in the pathway of glycerol degradation. Localized to the outer membrane of the		
	mitochondrion and expressed at high levels in testis, GK2 functions to catalyze the ATP-		
	dependent conversion of glycerol to glycerol 3-phosphate. Via its catalytic activity, GK2 plays an		
	essential role in the regulation of glycerol uptake and metabolism. The gene encoding GK2		
	maps to chromosome 4, which encodes nearly 6 % of the human genome and has the largest gene deserts (regions of the genome with no protein encoding genes) of all of the human chromosomes. Defects in some of the genes located on chromosome 4 are associated with Huntington's disease, Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic		
		kidney disease.	
		Gene ID:	2712
		Application Details	
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		
Expiry Date:	12 months		