antibodies .- online.com





anti-GLT25D1 antibody (AA 531-622) (Biotin)



\sim			
	N/P	r\/I	$\Theta \backslash \Lambda /$

Quantity:	100 μL
Target:	GLT25D1
Binding Specificity:	AA 531-622
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLT25D1 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLT25D1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	GLT25D1
Alternative Name:	GLT25D1 (GLT25D1 Products)
Background:	Synonyms: FLJ22329, Glycosyltransferase 25 domain containing 1, Hydroxylysine

galactosyltransferase 1, Procollagen galactosyltransferase 1, GT251_HUMAN.
Background: GLT25D1 is a 622 amino acid protein that localizes to the lumen of the
endoplasmic reticulum. Ubiquitously expressed with higher levels in placenta, heart, lung and
spleen, GLT25D1 is a member of the glycosyltransferase 25 family. The beta-
galactosyltransferase activity of GLT25D1 allows the transfer of beta-galactose to
hydroxylysine residues of collagen. GLT25D1 is considered an important target for investigating
the biological significance of collagen glycosylation and the importance of posttranslational
modification in the etiology of connective tissue disorders. The gene encoding GLT25D1 is
located on human chromosome 19, which consists of over 63 million bases, houses
approximately 1,400 genes and is recognized for having the greatest gene density of the human
chromosomes.

Gene ID:	79709
UniProt:	Q8NBJ5
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	WB 1:300-1000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months