antibodies -online.com





anti-HIRIP3 antibody (AA 401-556) (Biotin)



		do to i roduct page

()	1 /	0	rv	/ 1 /	71	Α.
	1//	\vdash	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	100 μL
Target:	HIRIP3
Binding Specificity:	AA 401-556
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HIRIP3 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HIRIP3	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	HIRIP3
Alternative Name:	HIRIP3 (HIRIP3 Products)
Background:	Synonyms: HIRA-interacting protein 3, HIRIP3, HIRA interacting protein 3, HIRP3,

HIRP3_HUMAN.

Background: The HIRA protein shares sequence similarity with Hir1p and Hir2p, the two corepressors of histone gene transcription characterized in the yeast, Saccharomyces cerevisiae. The structural features of the HIRA protein suggest that it may function as part of a multiprotein complex. Several cDNAs encoding HIRA-interacting proteins, or HIRIPs, have been identified. In vitro, the protein encoded by this gene binds HIRA, as well as H2B and H3 core histones, indicating that a complex containing HIRA-HIRIP3 could function in some aspects of chromatin and histone metabolism. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.[provided by RefSeq, Aug 2011].

Gene ID:

8479

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

12 months

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Expiry Date:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.