# antibodies -online.com





# anti-POLM antibody (AA 261-360) (Cy3)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	POLM
Binding Specificity:	AA 261-360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This POLM antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DNA polymerase mu	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Horse	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	POLM	
Alternative Name:	DNA polymerase mu (POLM Products)	

## **Target Details**

Background:	Synonyms: DNA Polymerase Mu, DNA-directed DNA polymerase mu, DNA-directed DNA/RNA	
	polymerase mu, DPOLM_HUMAN, FLJ35482, Pol iota, Pol Mu, Polm, POLM protein, Polymerase	
	DNA directed mu, Polymerase DNA directed mu, Tdt N, Tdt-N, TdtN, Terminal transferase.	
	Background: DNA polymerase mu shares a number of characteristics with DNA polymerase	
	Beta as well as with terminal deoxynucleotideyltransferase. Pol mu purportedly plays a role in	
	microhomology mediated joining and the repair of double-stranded breaks. However, unlike	
	other DNA polymerases, which show substrate specificity for deoxynucleotides, DNA Pol mu	
	incorporates both deoxynucleotides and ribonucleotides in a template- directed manner. This	
	unusual capability implies a novel role for this polymerase in DNA repair.	
Gene ID:	27434	
Pathways:	DNA Damage Repair, Production of Molecular Mediator of Immune Response	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	