

## Datasheet for ABIN1702418 anti-APOO antibody (AA 101-198) (Cy3)



Overview	
Quantity:	100 μL
Target:	APOO
Binding Specificity:	AA 101-198
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APOO antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human ApoO/Apolipoprotein O

Immunogen:	KLH conjugated synthetic peptide derived from human ApoO/Apolipoprotein O
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	APOO
Alternative Name:	Apolipoprotein O (APOO Products)

## **Target Details**

Expiry Date:

rarget Details	
Background:	Synonyms: ApoO, 0610008C08Rik, 1110019O03Rik, Apolipoprotein O, APOO, APOO_HUMAN,
	FAM121B, Family with sequence similarity 121B, MGC130105, MGC130106, MGC4825, My025,
	MYO25, OTTHUMP00000023073, Protein FAM121B, RP23-272D10.2.
	Background: Apolipoproteins are a family of fatty-acid binding proteins that transport fat
	through the bloodstream in the form of lipoproteins. ApoO (Apolipoprotein O), also known as
	FAM121B or My025, is a 198 amino acid single-pass membrane protein that belongs to the
	apolipoprotein family. Expressed ubiquitously with particularly high expression in diabetic heart
	tissue, apoO functions to promote the transport of cholesterol from macrophage cells and may
	be involved in regulatory mechanisms that protect lipid accumulation within the heart. ApoO is
	present in high density lipoproteins (HDLs) and low density lipoproteins (LDLs) and is secreted
	by an MTP (microsomal triglyceride transfer protein)-dependent mechanism. Two isoforms of
	apoO exist due to alternative splicing events.
Gene ID:	79135
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

12 months