

Datasheet for ABIN1702507

**anti-HIC2 antibody (AA 501-600) (Cy3)**[Go to Product page](#)

## Overview

|                      |                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Quantity:            | 100 µL                                                                                                                         |
| Target:              | HIC2                                                                                                                           |
| Binding Specificity: | AA 501-600                                                                                                                     |
| Reactivity:          | Human                                                                                                                          |
| Host:                | Rabbit                                                                                                                         |
| Clonality:           | Polyclonal                                                                                                                     |
| Conjugate:           | This HIC2 antibody is conjugated to Cy3                                                                                        |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## Product Details

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Immunogen:            | KLH conjugated synthetic peptide derived from human HIC2 |
| Isotype:              | IgG                                                      |
| Predicted Reactivity: | Human, Mouse, Rat, Dog, Cow, Pig, Horse, Chicken         |
| Purification:         | Purified by Protein A.                                   |

## Target Details

|                   |                                                                                     |
|-------------------|-------------------------------------------------------------------------------------|
| Target:           | HIC2                                                                                |
| Alternative Name: | Hic2 ( <a href="#">HIC2 Products</a> )                                              |
| Background:       | Synonyms: HIC1 related gene on chromosome 22, HIC2, Hic3, HRG22, Hypermethylated in |

## Target Details

cancer 2 protein, KIAA1020, ZBTB30, Zinc finger and BTB domain-containing protein 30, ZNF907, HIC2\_HUMAN.

Background: Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. The majority of zinc-finger proteins contain a Kr<sub>2</sub>ppel-type DNA binding domain and a KRAB domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins. HIC-2 (hypermethylated in cancer 2) possesses zinc finger motifs that are thought to be important for DNA-binding and also has a BTB/POZ domain at the N-terminus, which is thought to be important for protein-protein binding, as well as for the binding of transcription factors. HIC-2 is also known as Hic-3, HIC1-related gene on chromosome 22 or Zinc finger and BTB domain-containing protein 30, and is a 615 amino acid protein that is expressed as two isoforms produced by alternative splicing. HIC-2 is highly expressed in cerebellum and is localized to the nucleus in cells. HIC-2 contains a short amino acid sequence that is thought to interact with CtBP, a transcriptional repressor. The gene sequence associated with HIC-2 is thought to be a target for miRNAs (microRNAs) which are expressed in many cancers, suggesting that HIC-2 could possess tumor suppressor capabilities.

Gene ID: 23119

## Application Details

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

---

|                  |                                                                                   |
|------------------|-----------------------------------------------------------------------------------|
| Storage:         | -20 °C                                                                            |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date:     | 12 months                                                                         |