

Datasheet for ABIN1702698 anti-IPMK antibody (AA 101-200) (Cy3)



Overview
Ouantity:

100 μL

Target:

IPMK

Binding Specificity:

AA 101-200

Reactivity:

Human

Host:

Rabbit

Polyclonal

Clonality:
Conjugate:

This IPMK antibody is conjugated to Cy3

Application:

Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence

(Paraffin-embedded Sections) (IF (p))

Product Details

Immunoger	١:

KLH conjugated synthetic peptide derived from human IPMK

Isotype:

IgG

Predicted Reactivity:

Human, Mouse, Rat, Cow, Sheep, Horse, Rabbit

Purification:

Purified by Protein A.

Target Details

Target:

IPMK

Alternative Name:

IPMK (IPMK Products)

Background:

Synonyms: 6-tetrakisphosphate 5-kinase, Inositol 1, Inositol 1,3,4,6 tetrakisphosphate 5 kinase,

Inositol polyphosphate multikinase,	Ipmk. IPMK HUMAN
-------------------------------------	------------------

Background: Inositol polyphosphate multikinase (IPMK) belongs to the inositol phosphokinase (IPK) family and is characterized as having a broad substrate specificity. However, IPMK displays a preference for inositol-1,4,5-trisphosphate (Ins(1,4,5)P3) and inositol 1,3,4,6-tetrakisphosphate (Ins(1,3,4,6)P4). IPMK is ubiquitously expressed with the highest expression in skeletal muscle, liver, placenta, lung, peripheral blood leukocytes, kidney, spleen and colon. IPMK is localized to the nucleus, where it may play a role in the regulation of calcium release from intracellular stores and has been implicated as a drug target for cancer therapies. The gene encoding IPMK maps to human chromosome 10, which contains over 800 genes. Notably, disorders linked to genes on chromosome 10 include Cowden syndrome, Cockayne syndrome and Tetrahydrobiopterin deficiency.

Gene ID: 253430

Pathways: Tube Formation

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months