

[Go to Product page](#)

Datasheet for ABIN1703881

anti-DAPL1 antibody (AA 1-100) (Cy5)

Overview

| | |
|----------------------|---|
| Quantity: | 100 µL |
| Target: | DAPL1 |
| Binding Specificity: | AA 1-100 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This DAPL1 antibody is conjugated to Cy5 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | KLH conjugated synthetic peptide derived from human DAPL1 |
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Horse |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | DAPL1 |
| Alternative Name: | DAPL1 (DAPL1 Products) |
| Background: | Synonyms: dapL1, DAPL1_HUMAN, death associated protein-like 1, Death-associated protein- |

Target Details

like 1, Early epithelial differentiation-associated protein, EEDA, RP23-151F21.4.

Background: In contrast to growth factors which promote cell proliferation, FAS ligand (FAS-L) and the tumor necrosis factors (TNFs) rapidly induce apoptosis. Cellular response to FAS-L and TNF is mediated by structurally related receptors containing a conserved cytoplasmic region called the death domain?. DAPL1 (Death-associated protein-like 1), also known as EEDA (Early epithelial differentiation-associated protein), is a 107 amino acid protein that is expressed in hair follicles and is thought to function in a similar manner to DAP-1, possibly participating in the early stages of epithelial differentiation and/or apoptosis.

Gene ID: 92196

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months