antibodies .- online.com





anti-MOBKL3 antibody (AA 101-200) (Cy5)



Overview

Quantity:	100 μL	
Target:	MOBKL3	
Binding Specificity:	AA 101-200	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MOBKL3 antibody is conjugated to Cy5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PREI3/Phocein	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

Target Details

Target:	MOBKL3
Alternative Name:	PREI3/Phocein (MOBKL3 Products)
Background:	Synonyms: 2C4D, CGI 95, class II mMOB1, MGC12264, MOB family member 4, phocein, MOB

like protein phocein, MOB1, mob1 homolog 3, MOB1, Mps One Binder kinase activator like 3, Mob3, MOB4, MOBKL3, MOBL3_HUMAN, mps one binder kinase activator like 3, Mps one binder kinase activator-like 3, Phocein Mob like protein, PHOCN, PREI3, Preimplantation protein 3, RCJMB04_1o21.

Background: Phocein is a 225 amino acid protein encoded by the human gene MOBKL3. Phocein belongs to the MOB1/phocein family and is phosphorylated on serine residues. Phocein is a widely expressed, highly conserved intracellular protein. The sequence of Phocein has limited homology to the sigma subunits from Clathrin adaptor complexes and contains an additional stretch bearing a putative SH3-binding domain. Phocein is usually associated with membranes but can be present in the cytosol, where it behaves as a protein complex. Phocein is the major partner of the striatin family members, which are scaffolding proteins involved in signaling and trafficking. Due to its association with Dynamin via direct interactions with nucleotide diphosphate kinase (NDPK) and Eps15, Phocein has been implicated in vesicular

Gene ID:

25843

Application Details

Application	Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

trafficking, acting in particular in the endocytic process.

	_	
-	II	1:
-	-222	nnc
-	Hand	11111

Expiry Date:

12 months