antibodies .- online.com





国 (BERNARY)

Datasheet for ABIN1704728

anti-MSANTD3 antibody (AA 1-100) (Cy5)

Overview 100 μL Quantity: Target: MSANTD3 Binding Specificity: AA 1-100 Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This MSANTD3 antibody is conjugated to Cy5 Application: Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB) **Product Details** Immunogen: KLH conjugated synthetic peptide derived from human C9orf30 Isotype: IgG Cross-Reactivity: Human Predicted Reactivity: Mouse,Rat,Dog,Sheep,Pig,Horse,Rabbit Purification: Purified by Protein A.

Target Details

Target:	MSANTD3
Alternative Name:	C9orf30 (MSANTD3 Products)

Target Details

rarget Details		
Background:	Synonyms: Chromosome 9 open reading frame 30, Cl030, FLJ34973, Hypothetical protein LOC91283, L8, MGC17337, OTTHUMP00000021792, UPF0439 protein C9orf30, MSD3_HUMAN. Background: C9orf30 is a 275 amino acid protein that is expressed in brain and belongs to the UPF0439 family. The gene encoding C9orf30 maps to human chromosome 9q31.1. Chromosome 9 consists of about 145 million bases, represents 4 % of the human genome and encodes nearly 900 genes. Thought to play a role in gender determination, deletion of the distal portion of 9p can lead to development of male to female sex reversal, the phenotype of a female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which is characterized by harmful vascular defects, is associated with the chromosome 9 gene encoding endoglin protein, ENG. Familial dysautonomia is also associated with chromosome 9 though through the gene IKBKAP. Notably, chromosome 9 encompasses the largest interferon family gene cluster. Chromosome 9 is partnered with chromosome 22 in the translocation leading to the aberrant production of BCR-ABL fusion protein often found in leukemias.	
Gene ID:	91283	
Gene ib.	91203	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

	lI	1:
-	เวทก	111111
	land	HHU

Expiry Date:

12 months