antibodies -online.com





Datasheet for ABIN1704887

anti-FNDC4 antibody (AA 101-200) (Cy5)

()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL	
Target:	FNDC4	
Binding Specificity:	AA 101-200	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FNDC4 antibody is conjugated to Cy5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FNDC4	
Isotype:	IgG	
Predicted Reactivity: Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit		
Purification:	Purified by Protein A.	

Target Details

Target:	FNDC4	
Alternative Name:	FNDC4 (FNDC4 Products)	
Background:	Synonyms: Fibronectin type III domain containing 4, Fibronectin type III domain containing	

protein 4, Fibronectin type III domain-containing protein 4, Fibronectin type III repeat containing protein 1, Fibronectin type III repeat-containing protein 1, FLJ22362, FNDC 4, FNDC4, FNDC4_HUMAN, FRCP 1, FRCP1.

Background: Fibronectins are multi-domain glycoproteins that bind to a variety of substances including collagen, actin, heparin, DNA, fibrin and fibronectin receptors. They are involved in a diverse array of important functions such as blood coagulation, wound healing, cell adhesion, cell differentiation and migration. FNDC4 (Fibronectin type III domain-containing protein 4), also known as FRCP1 (Fibronectin type III repeat-containing protein 1), is a 234 amino acid membrane protein that contains one fibronectin type-III domain, which serves as a binding site for DNA, heparin or the cell surface. The gene encoding FNDC4 is localized to human chromosome two, which houses over 1,400 genes and comprises nearly 8 % of the human genome.

Gene ID:

64838

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	